	Application No.	Applicant(s)
Notice of Allowability	10/773,192	SILVERBROOK, KIA
	Examiner	Art Unit
	Han S. Choi	2853
- The MAILING DATE of this communication apperature All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT R of the Office or upon petition by the applicant. See 37 CFR 1.313	ears on the cover sheet with the county (OR REMAINS) CLOSED in this application or other appropriate communication IGHTS. This application is subject to 3 and MPEP 1308.	orrespondence address plication. If not included n will be mailed in due course. THIS
1. This communication is responsive to <u>amendment filed on the second se</u>	<u>6/12/06</u> .	
2. The allowed claim(s) is/are <u>1-54</u> .		
 3. Acknowledgment is made of a claim for foreign priority up a) All b) Some* c) None of the: 1. Certified copies of the priority documents have 2. Certified copies of the priority documents have 	e been received.	
3. Copies of the certified copies of the priority documents have been received in this national stage application from the		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be subminformal PATENT APPLICATION (PTO-152) which give		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) hereto or 2) to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1 each sheet. Replacement sheet(s) should be labeled as such in t		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
		'.
Attachment(s)		Detect Application (DTO 452)
 Notice of References Cited (PTO-892) Notice of Draftperson's Patent Drawing Review (PTO-948) 	5. ☐ Notice of Informal F 6. ☐ Interview Summary	Patent Application (PTO-152)
	Paper No /Mail Da	te
 Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date 6/12/06, 7/7/06 	08), 7. 🗌 Examiner's Amendi	ment/Comment
4. Examiner's Comment Regarding Requirement for Deposit of Biological Material	8. 🛛 Examiner's Stateme	ent of Reasons for Allowance
of Biological Material	9.	

Terminal Disclaimer

1. The terminal disclaimer filed on 6/12/06 disclaiming the terminal portion of any patent granted on this application which would extend beyond the expiration date of USSN 10/773197 has been reviewed and is accepted. The terminal disclaimer has been recorded.

Reasons For Allowance

- 2. The following is an examiner's statement of reasons for allowance:
 - The primary reason for allowance for claims 1, 19, and 38 is due to the inclusion of the limitation which states "the heater element is a suspended beam mounted at its respective ends to laterally opposing portions of the bubble forming chamber and is arranged within the bubble forming chamber so that a distance between a collapse point of the gas bubble and the nozzle is less than 50 microns." The limitation overcomes the prior art.
 - The reason for allowance for claims 2-18, 20-37, and 39-54 is due to their dependency on claims 1, 19, and 38 which are deemed allowable over the prior art.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably

Art Unit: 2853

accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Han S. Choi whose telephone number is (571) 272-8350. The examiner can normally be reached on Monday - Friday, 8:30am to 5:00pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Stephen Meier can be reached on (571) 272-2149. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

HSC 7/17/06

STEPHEN MEIER
SUPERVISORY PATENT EXAMINER